

CIVE 440

Traffic Engineering and Simulation - Statistics



McGill

Faculty of Engineering

Department of Civil Engineering and Applied Mechanics

Fall 2016

MOTIVATION

The precise movement of individuals through the transportation network is incredibly complex. Instead of modelling every little detail, we assume many details are stochastic and handle the data using statistical tools.

- To reduce the costs of data collection
- To make life easier
- To enable us to build complex systems that represent reality

EXAMPLE APPLICATIONS

Uses:

- To determine how many data samples we need to collect
- To estimate how much confidence we should have in a sample of data
- Check what statistical distribution matches with reality
- Model stochastic arrivals and departures (e.g. Poisson arrivals)
- Handle normal variability in human population
- Research

FUNDAMENTALS

Discrete random variables:

- Number of vehicles in a household
- Number of times a person will go grocery shopping in a week

Continuous random variables:

- Height or weight of students in a class
- Vehicle speed
- Commute time

You are tasked with collecting speed data on a local street. These are your results:

23	45	65	76	56	65
46	52	64	69	64	24
81	47	32	34	53	58
76	61	73	51	36	62
26	49	48	76	46	37
38	15	43	83	28	25
43	37	51	12	26	65

What can we say about the speed on this street?


DESCRIPTORS

Central tendency

- Mean μ
 - Contrast arithmetic, harmonic, truncated, and geometric means
- Median
- Mode

Dispersion


- Maximum
- Minimum
- [Interquartile] Range
- Variance
- Standard deviation σ



NORMAL DISTRIBUTION

The most commonly used distribution. Why? Found very frequently in nature.

- Many aspects of human populations are normally distributed
 - Height or weight of individuals
 - Vehicle speed
 - Commute time





DISTRIBUTION FUNCTIONS

Probability distribution function:

- Discrete: histogram
- Continuous: function
- Provides the probability of obtaining the corresponding value of X
- Sum of area = 1

Cumulative distribution function:


- Incremental probability of obtaining the corresponding value $< X$
- Probability ranges from 0 to 1



PROBABILITIES

Some important characteristics:

- 68.3% of the observations are within one σ
- 95.0% of the observations are within 1.96 σ
- 99.7% of the observations are within 3 σ
- “**Outliers**” lie literally at the edges




STANDARD NORMAL DISTRIBUTION

Any normal distribution can be converted into an equivalent standard normal distribution


- $\mu = 1$
- $\sigma = 1$

For random variable x , the standard normal variable z :


$$z = \frac{x - \mu}{\sigma}$$




EXAMPLE



$$\sigma = 7 \text{ km/h}$$



Compute the probability that speed is < 65 .
Equivalent value in std. normal = $(65 - 55) / 7 = 1.43$



STANDARD NORMAL DISTRIBUTION: Table Values Represent AREA to the LEFT of the Z score.

Z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
-3.9	.00005	.00005	.00004	.00004	.00004	.00004	.00004	.00004	.00003	.00003
-3.8	.00007	.00007	.00007	.00006	.00006	.00006	.00006	.00005	.00005	.00005
-3.7	.00011	.00010	.00010	.00010	.00009	.00009	.00008	.00008	.00008	.00008
-3.6	.00016	.00015	.00015	.00014	.00014	.00013	.00013	.00012	.00012	.00011
-3.5	.00023	.00022	.00022	.00021	.00020	.00019	.00019	.00018	.00017	.00017
-3.4	.00034	.00032	.00031	.00030	.00029	.00028	.00027	.00026	.00025	.00024
-3.3	.00048	.00047	.00045	.00043	.00042	.00040	.00039	.00038	.00036	.00035
-3.2	.00069	.00066	.00064	.00062	.00060	.00058	.00056	.00054	.00052	.00050
-3.1	.00097	.00094	.00090	.00087	.00084	.00082	.00079	.00076	.00074	.00071
-3.0	.00135	.00131	.00126	.00122	.00118	.00114	.00111	.00107	.00104	.00100
-2.9	.00187	.00181	.00175	.00169	.00164	.00159	.00154	.00149	.00144	.00139
-2.8	.00256	.00248	.00240	.00233	.00226	.00219	.00212	.00205	.00199	.00193
-2.7	.00347	.00336	.00326	.00317	.00307	.00298	.00289	.00280	.00272	.00264
-2.6	.00466	.00453	.00440	.00427	.00415	.00402	.00391	.00379	.00368	.00357
-2.5	.00621	.00604	.00587	.00570	.00554	.00539	.00523	.00508	.00494	.00480
-2.4	.00820	.00798	.00776	.00755	.00734	.00714	.00695	.00676	.00657	.00639
-2.3	.01072	.01044	.01017	.00990	.00964	.00939	.00914	.00889	.00866	.00842
-2.2	.01390	.01355	.01321	.01287	.01255	.01222	.01191	.01160	.01130	.01101
-2.1	.01786	.01743	.01700	.01659	.01618	.01578	.01539	.01500	.01463	.01426
-2.0	.02275	.02222	.02169	.02118	.02068	.02018	.01970	.01923	.01876	.01831
-1.9	.02872	.02807	.02743	.02680	.02619	.02559	.02500	.02442	.02385	.02330
-1.8	.03593	.03515	.03438	.03362	.03288	.03216	.03144	.03074	.03005	.02938
-1.7	.04457	.04363	.04272	.04182	.04093	.04006	.03920	.03836	.03754	.03673
-1.6	.05480	.05370	.05262	.05155	.05050	.04947	.04846	.04746	.04648	.04551
-1.5	.06681	.06552	.06426	.06301	.06178	.06057	.05938	.05821	.05705	.05592
-1.4	.08076	.07927	.07780	.07636	.07493	.07353	.07215	.07078	.06944	.06811
-1.3	.09680	.09510	.09342	.09176	.09012	.08851	.08691	.08534	.08379	.08226
-1.2	.11507	.11314	.11123	.10935	.10749	.10565	.10383	.10204	.10027	.09853
-1.1	.13567	.13350	.13136	.12924	.12714	.12507	.12302	.12100	.11900	.11702
-1.0	.15866	.15625	.15386	.15151	.14917	.14686	.14457	.14231	.14007	.13786
-0.9	.18406	.18141	.17879	.17619	.17361	.17106	.16853	.16602	.16354	.16109
-0.8	.21186	.20897	.20611	.20327	.20045	.19766	.19489	.19215	.18943	.18673
-0.7	.24196	.23885	.23576	.23270	.22965	.22663	.22363	.22065	.21770	.21476
-0.6	.27425	.27093	.26763	.26435	.26109	.25785	.25463	.25143	.24825	.24510
-0.5	.30854	.30503	.30153	.29806	.29460	.29116	.28774	.28434	.28096	.27760
-0.4	.34458	.34090	.33724	.33360	.32997	.32636	.32276	.31918	.31561	.31207
-0.3	.38209	.37828	.37448	.37070	.36693	.36317	.35942	.35569	.35197	.34827
-0.2	.42074	.41683	.41294	.40905	.40517	.40129	.39743	.39358	.38974	.38591
-0.1	.46017	.45620	.45224	.44828	.44433	.44038	.43644	.43251	.42858	.42465
-0.0	.50000	.49601	.49202	.48803	.48405	.48006	.47608	.47210	.46812	.46414

STANDARD NORMAL DISTRIBUTION: Table Values Represent AREA to the LEFT of the Z score.

Z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
0.0	.50000	.50399	.50798	.51197	.51595	.51994	.52392	.52790	.53188	.53586
0.1	.53983	.54380	.54776	.55172	.55567	.55962	.56356	.56749	.57142	.57535
0.2	.57926	.58317	.58706	.59095	.59483	.59871	.60257	.60642	.61026	.61409
0.3	.61791	.62172	.62552	.62930	.63307	.63683	.64058	.64431	.64803	.65173
0.4	.65542	.65910	.66276	.66640	.67003	.67364	.67724	.68082	.68439	.68793
0.5	.69146	.69497	.69847	.70194	.70540	.70884	.71226	.71566	.71904	.72240
0.6	.72575	.72907	.73237	.73565	.73891	.74215	.74537	.74857	.75175	.75490
0.7	.75804	.76115	.76424	.76730	.77035	.77337	.77637	.77935	.78230	.78524
0.8	.78814	.79103	.79389	.79673	.79955	.80234	.80511	.80785	.81057	.81327
0.9	.81594	.81859	.82121	.82381	.82639	.82894	.83147	.83398	.83646	.83891
1.0	.84134	.84375	.84614	.84849	.85083	.85314	.85543	.85769	.85993	.86214
1.1	.86433	.86650	.86864	.87076	.87286	.87493	.87698	.87900	.88100	.88298
1.2	.88493	.88686	.88877	.89065	.89251	.89435	.89617	.89796	.89973	.90147
1.3	.90320	.90490	.90658	.90824	.90988	.91149	.91309	.91466	.91621	.91774
1.4	.91924	.92073	.92220	.92364	.92507	.92647	.92785	.92922	.93056	.93189
1.5	.93319	.93448	.93574	.93699	.93822	.93943	.94062	.94179	.94295	.94408
1.6	.94520	.94630	.94738	.94845	.94950	.95053	.95154	.95254	.95352	.95449
1.7	.95543	.95637	.95728	.95818	.95907	.95994	.96080	.96164	.96246	.96327
1.8	.96407	.96485	.96562	.96638	.96712	.96784	.96856	.96926	.96995	.97062
1.9	.97128	.97193	.97257	.97320	.97381	.97441	.97500	.97558	.97615	.97670
2.0	.97725	.97778	.97831	.97882	.97932	.97982	.98030	.98077	.98124	.98169
2.1	.98214	.98257	.98300	.98341	.98382	.98422	.98461	.98500	.98537	.98574
2.2	.98610	.98645	.98679	.98713	.98745	.98778	.98809	.98840	.98870	.98899
2.3	.98928	.98956	.98983	.99010	.99036	.99061	.99086	.99111	.99134	.99158
2.4	.99180	.99202	.99224	.99245	.99266	.99286	.99305	.99324	.99343	.99361
2.5	.99379	.99396	.99413	.99430	.99446	.99461	.99477	.99492	.99506	.99520
2.6	.99534	.99547	.99560	.99573	.99585	.99598	.99609	.99621	.99632	.99643
2.7	.99653	.99664	.99674	.99683	.99693	.99702	.99711	.99720	.99728	.99736
2.8	.99744	.99752	.99760	.99767	.99774	.99781	.99788	.99795	.99801	.99807
2.9	.99813	.99819	.99825	.99831	.99836	.99841	.99846	.99851	.99856	.99861
3.0	.99865	.99869	.99874	.99878	.99882	.99886	.99889	.99893	.99896	.99900
3.1	.99903	.99906	.99910	.99913	.99916	.99918	.99921	.99924	.99926	.99929
3.2	.99931	.99934	.99936	.99938	.99940	.99942	.99944	.99946	.99948	.99950
3.3	.99952	.99953	.99955	.99957	.99958	.99960	.99961	.99962	.99964	.99965
3.4	.99966	.99968	.99969	.99970	.99971	.99972	.99973	.99974	.99975	.99976
3.5	.99977	.99978	.99978	.99979	.99980	.99981	.99981	.99982	.99983	.99983
3.6	.99984	.99985	.99985	.99986	.99986	.99987	.99987	.99988	.99988	.99989
3.7	.99989	.99990	.99990	.99990	.99991	.99991	.99992	.99992	.99992	.99992
3.8	.99993	.99993	.99993	.99994	.99994	.99994	.99994	.99995	.99995	.99995
3.9	.99995	.99995	.99996	.99996	.99996	.99996	.99996	.99996	.99997	.99997

http://sphweb.bumc.bu.edu/otlt/mph-modules/bs/bs704_probability/bs704_probability9.html#probabilitiesofthestandardnormaldistributionz

CONFIDENCE BOUND

When we compute a measure we would like to assign a confidence bound to have a certain level of confidence of our statistical estimate.

- Lets say we want to ensure our estimate is within $\alpha\%$. The bound is generated as:

$$CI_{\alpha} = (\mu - \sigma Z_{\alpha/2}, \quad \mu + \sigma Z_{\alpha/2})$$

Where $Z_{\alpha/2}$ = the std. normal value for $\frac{\alpha}{2}$

EXAMPLE

Let the estimate of mean and standard deviation of random speed measurements be 45 and 5 respectively. What is the interval that will allow us to be sure of measurements 95% and 99.7% of the time?

Answer:

- $(45 - 1.96*5, 45 + 1.96*5)$
- $(45 - 3*5, 45 + 3*5)$

SAMPLE SIZE

Given the sample size we determined the CI_{α} . Now for a required $CI_{\alpha'}$, sample size can be determined.

$$\text{Error allowed } e = Z_{\alpha/2} \frac{\sigma}{\sqrt{N}}$$

$$N > \left(\frac{Z_{\alpha/2} \sigma}{e} \right)^2$$

MULTIVARIATE

Consider a person who travels using walk, bus and metro modes.

- The mean and (SD) of travel times are
 - 5 (1)
 - 18 (3)
 - 9 (2)

How do we determine the mean for the overall trip?

MULTIVARIATE

What we need to do is come up with a new random variable which is the sum of these three random variables.

- Lets consider X , and Y be two random variables with means μ_x and μ_y , and SD σ_x and σ_y
- $Z = aX + bY + C$
 - a and b are coefficients of the model which weigh the relative impact of each variable on Z
 - C is a constant
- Mean of $Z = a\mu_x + b\mu_y$
- SD of $Z = \sqrt{a^2\sigma_x^2 + b^2\sigma_y^2}$

That's all for today!